Warrior's Path State Park 490 Hemlock Road Kingsport, TN 37660

This project will involve the purchase and delivery of the Kitchen Cooking Equipment, Kitchen Food Prep Equipment, Kitchen Dry Good Storage, Kitchen Cold/Frozen Storage, Kitchen Displays, and Gift Shop Display for the New Marina building located on Warrior's Path State Park.

Vendor will provide the following items in the quantities

Worktop Freezer - Quantity 1 - Turbo Air Model # TWF-48SD-N,

Super Deluxe Worktop Freezer, two-section, 12.0 cu. ft., self-cleaning condenser equipped, LED interior lighting, (2) stainless steel doors with recessed handles, stainless steel interior & exterior, ABS door liner, (2) stainless steel wire shelves, LED interior lighting, self-contained

rear mounted refrigeration system, R290 Hydrocarbon refrigerant, equipped with caster set, 1/3 HP, 115v/60/1-ph, 2.8 amps, NEMA 5-15P, cETLus, ETLSanitation.

Electric Fryer - Quantity 1 - Frymaster Model No. FPEL214CA

OCF30™ Fryer Battery, electric, (2) 30 lb, capacity each, built-in filtration, SMART4U® 3000 controller, auto top-off, oil-conserving, open-pot design, includes: rack-type basket support, basket hanger, twin baskets & filter starter kit, 8 GPM pump, stainless steel frypot, door & cabinet sides, adjustable casters, cULus, NSF, ENERGY STAR®, Enerlogic®

To Include:

- 1. (2 ea.) Optional plug: NEMA #15-60P, per frypot (full frypots only)
- 2. SMART4U 3000 controller, standard
- 3. Split frypots, with split on Left
- 4. (2 ea.) Basket lifts, full battery
- 5. 8030197 Clean-Out Rod, 27" long
- 6. 8030446 Fish Skimmer, 6" square, no hooks, with 13-5/8" insulated handle

Pizza Bake Oven Countertop Electric – Quantity 1 – Admiral Craft Equipment Corp. Model No. CK-2

Countertop Electric Oven, for pizza or snacks, 13-1/2" baking rack accommodates product up to 2-1/2"H and 12" diameter, single deck with upper & lower heating elements, on/off 30-minute timer, 450° pre-set thermostat, crumb tray, stainless steel exterior, 120v/60/1-ph, 1450W, 12 amps, NEMA 5-15P, CE, UL

Griddle Electric Countertop - Quantity 1 – Star Model No. 724TA

Ultra-Max® Heavy Duty Griddle, electric, countertop, 24" W x 24" D cooking surface, 1" thick polished steel griddle plate, 150°-450°F snap action thermostat and 4350-watt element every 12", 5" tapered wraparound splash guard, 3-1/2" front grease trough, 6 qt. grease drawer, heavy-duty metal knobs, welded steel frame with stainless steel exterior, 4" legs with 1-5/8" adjustment, cULus, UL EPH Classified 208v/50/60/3-ph, 8.7 kW, 36.2 amps

Reach-In Refrigerator - Quantity 1 - Turbo Air Model No. M3R24-1-N

M3 Refrigerator, reach-in, one-section, 21.6 cu. ft. capacity, 28-3/4"W x 32-3/4"D x 83"H, top mount self-contained refrigeration with self-cleaning condenser, (1) field reversible hinged solid door with lock & door alarm, exterior LED digital temperature controller, self-diagnostic

monitoring system, automatic fan motor delays, LED interior lighting, (3) PE coated wire shelves, aluminum interior with stainless steel floor, stainless steel front & sides (galvanized steel top, bottom & back), R290 Hydrocarbon refrigerant, 1/4 HP, 115v/60/1-ph, 2.5 amps, cord with NEMA 5-15P, ETL-Sanitation, cETLus, ENERGY STAR®

Ice Maker Cube Style - Quantity 1 - Ice-O-Matic Model No. CIM0520HA

Elevation Series™ Modular Cube Ice Maker, air-cooled, self-contained condenser, dual exhaust top/side air discharge, 22" W, approximately 561 lb production/24 hours at 70°/50° (432 lb at 90°/70°), half-size cubes, PURE ICE® built-in antimicrobial protection, LED status display, one touch sanitize/descaling controls, dishwasher safe food zone components, cULus, NSF, CE, BPA Free.

To include:

1. Water Filter Manifold designed for ice makers producing 850 & 1050 LB of ice per day.

Iced Tea Brewer- Quantity 1 - BUNN Model No. 36700.0301

Twin Iced Tea Brewer, (2) 3-gallon capacity, 26.7 gallon/hour, rotating brew basket, base platform adapter, dedicated dilution nozzles, brew selection switch, adjustable sleep time, SplashGard® funnel, Quickbrew system, color coded decals, designed for brewing into (2) 3.5-gallon BUNN narrow tea dispensers (sold separately), 120v/60/1-ph, 1730w, 14.4amps, NEMA 5-15P, cord attached, UL, NSF.

To include

1. Two (2) 3.5-gallon narrow iced beverage dispenser, sump dispense valve, lift handle, 8" cup clearance.

Frozen Drink Machine - Quantity 1 - Cornelius Model No. 621260042

Viper™ Elite Classic Frozen Beverage Dispenser, carbonated, countertop, (2) flavors, self-contained refrigeration, air-cooled, (2) Motorman valves, Intelligent Defrost™, programmable sleep mode,

tall merchandiser (graphic & flavor cards sold separately), stainless steel side panels, R404A, 230v/60/1-ph, NEMA L6-20P, cULus, NSF, CE.

To include:

- 1. CCBT-208230-CS Buck and boost transformer
- 629097277 Install Kit, for 2-flavor Viper™ frozen beverage machines, kit includes

 (2) BIB Flojet pumps, (2) Coke connectors, (2) Pepsi connectors, (2) QCD generic connectors, fittings, splicers, & oetiker clamps
- 3. 629087406 Leg Kit, adjustable 4" to 5-1/4", set of four.

Sandwich / Salad Preparation Refrigerator – Quantity 1 - Continental Refrigerator Model No. SW72N12-FB

Sandwich Unit, Front Breather, 72"W, 20.6 cu ft capacity, three-section, (12) 1/6 size x 4" deep pans with 12" cutting board, (3) field rehingeable doors, stainless steel top, front & end panels, aluminum back & interior, unit comes standard with expansion valve, 3-3/4" casters, rear mounted self-contained refrigeration, automatic hot gas condensate evaporator, R290 Hydrocarbon Refrigerant, 1/3 HP, cETLus, NSF.

Pretzel Display Case Countertop - Quantity 1 Winco Model No. 51012

Benchmark Hot Food Display Case, countertop, pass-thru, 19"W x 22"D x 33"H, 3-tier rotating hook rack for pretzels, 5-tier rotating shelf rack for 12" pizzas, adjustable thermostat, humidified, 2 qt. water reservoir, graphic, includes (1) pan rack & (1) hook rack, stainless steel construction, 4" legs, 1480 watts, NEMA 5-15P, 120v/50-60/1-ph, 12.3 amps, cETLus, ETL-Sanitation

Hot Dog Steamer – Quantity 1 – Serv-Ware Model No. EHS-02 Hot Dog Steamer, countertop, 18-7/64"W x 14-11/64"D x 15-63/64"H, side-by-side hot dog steamer/bun warmer, capacity approximately (100) hot dogs & (48) buns, 8-quart water capacity, 85°-175°F temperature range, 15-to-45-minute cooking time, tempered glass window, top loading, steam control plate, power & heat indicator lights, front drain valve, stainless steel construction, cETLus, CE. 120v/60/1-ph, 1300 watts, NEMA 5-15P, standard

Nacho Cheese Dispenser - Quantity 1 - Gold Medal Products Model No. 5345

Nacho Cheese Dispenser, single push button dispensing, peristaltic pump, 225 watts, 120v/60/1-ph, NEMA 5-15P, cULus, UL EPH Classified

Nacho Warmer Display - Quantity 1 - Winco Model No. 51000

Benchmark Warmer/Merchandiser, 100 qt. capacity, top loading, deflection board, tempered glass, inter-changeable signs for nacho chips, peanuts or popcorn, stainless steel construction, 50 watts,

NEMA 5-15P, 120v/60/1-ph, 0.5 amps, cETLus, ETL-Sanitation.

Microwave Oven - Quantity 1 - Panasonic Model No. NE-1054F

PRO Commercial Microwave Oven, 1000 watts, 0.8 cu. ft. capacity, (6) power levels, 2- & 3-stage cooking, 20 program memory capacity, touch control pad with Braille, 99-minute timer, programmable and manual operation, program list/cycle counter, self-diagnostics, tone

control, bottom energy feed, interior light, see-through door with "grab & go" handle, stainless steel front, 120v/60/1-ph, 13.4 amps, cord, NEMA 5-15P, cULus, NSF

Reach-In Freezer - Quantity 1- Turbo Air Model No. M3F72-3-N(-AL)(-AR)

M3 Freezer, reach-in, three-section, 65.8 cu. ft., exterior LED digital thermometer, door open beep, self-diagnostic monitoring system, hot gas condensate system, smart fuzzy defrost, automatic fan motor

delays, door pressure release, LED interior lighting, self-cleaning condenser device, (3) hinged solid doors with recessed handle & locks, (9) PE coated wire shelves, stainless steel front & sides

(galvanized steel top, bottom & back), aluminum interior with stainless steel floor, top mount self-contained compressor, R290 Hydrocarbon refrigerant, 3/4 HP, 115v/60/1-ph, 7.9 amps, NEMA 5-15P, ETL-Sanitation, cETLus.

Reach-In Refrigerator - Quantity 1 - Turbo Air Model No. M3R72-3-N

M3 Refrigerator, reach-in, three-section, 65.8 cu. ft., exterior LED digital thermometer, door open beep, self-diagnostic monitoring system, hot gas condensate system, automatic fan motor delays, door pressure release, LED interior lighting, self-cleaning condenser device, (3) hinged solid door with recessed handle & lock, (9) PE coated wire shelves, stainless steel front & sides (galvanized steel top, bottom & back), aluminum interior with stainless steel floor, top mount self-contained compressor, R290 Hydrocarbon refrigerant, 3/8 HP, 115v/60/1-ph, 5.6 amps, NEMA 5-15P, ETL-Sanitation, cETLus, ENERGY

Worktable 30" Stainless Steel - Quantity 3 - John Boos Model No. ST6R5-3030SSK-X

Worktable, 30"W \times 30"D, 16/300 stainless steel top with 5" backsplash, with Stallion Safety Edge front, 90° turndown on sides, stainless steel legs & adjustable undershelf, adjustable bullet feet, NSF, CSA-Sanitation,

Worktable 48" - Quantity 3 - John Boos Model No. ST6-2448SSK-X

Worktable, 48"W x 24"D, 16/300 stainless steel flat top, with Stallion Safety Edge front & back, 90° turndown on sides, stainless steel legs & adjustable undershelf, adjustable bullet feet, NSF, CSA-Sanitation.

Worktable 84" Stainless Steel - Quantity 1 - John Boos Model No. ST6R5-3684SSK

Worktable, 84"W \times 36"D, 16/300 stainless steel top with 5" backsplash, with Stallion Safety Edge front, 90° turndown on sides, stainless steel legs & adjustable undershelf, adjustable bullet feet, NSF

Equipment Stand for Countertop Cooking - Quantity 1 – John Boos Model No. GS6-3024SSK-X

Equipment Stand, open base, 24"W x 30"D x 24"H, 16/300 stainless steel top with 1-1/2"H up-turn on back & both sides, stainless steel legs & adjustable undershelf, bullet feet, KD, NSF, CSA-Sanitation.

Bag in Box Syrup Tank System - Quantity 1 - Lancer Model No. 85-1803-2406

BIB Rack, Bag-in-Box organizational system, 8 box capacity (2 boxes wide x 4 boxes high with regulators), inclined shelves, (6) FloJet pumps side mount, NSF, CE

Mop Sink – Quantity 1 - John Boos Model No. PBMS2016-12-X Mop Sink, floor mounted, 24-5/8"W x 19-3/8"D x 16"H overall size, 20"W x 16" front-to-back x 12" deep compartment, 3-1/2" diameter drain, marine edge on front & sides, tile edge on rear, 16/300 stainless steel construction

To Include:

- 1. PBF-SS-6-X Service Sink Faucet, 8" centers, vacuum breaker nozzle with 3-4" garden hose thread, pail hook, top support arm, 1/2" NPT female flanged, with adjustable inlet with screwdriver stop.
- PB-SMMK-90 Splash Mount Faucet Mounting Kit, includes (2) 1/2" supply nipples,
 retainer nuts, (2) lock washers, (2) rubber washers and (2) male & female short 90° elbows
- 3. PB-MH-3-X Mop Hanger, stainless steel, with (3) rubber cam grip
- 4. MSWC2016-27L Mop Sink Wainscoting, rear & left, 24-7/8"L x 19-1/4"D x 27"H, 16 ga. stainless steel

Hand Sink - Quantity 2 - John Boos Model No. PBHS-W-1410-P-SSLR-X

Pro-Bowl Hand Sink, wall mount, 14"W x 10" front-to-back x 5" deep bowl, splash mount faucet holes with 4" centers, 1-7/8" drain opening with basket drain, with left & right-side splashes, includes mounting bracket, all stainless-steel construction, NSF, CSA-Sanitation (splash mount faucet included)

Three Compartment Sink - Quantity 1 - John Boos Model No. 3B18244-2D18-X

"B" Series Sink, 3-compartment, 93-1/4"W \times 29-1/2"D \times 44"H overall size, (3) 18"W \times 24" front-to-back \times 14" deep compartments, (2) 18" left & right drainboards, 10"H boxed backsplash with 45° top and 2" return, (1) set of splash mount faucet holes with 8" centers, 3-1/2" diestamped

drain openings, 16/300 stainless steel construction, stainless steel legs, adjustable side bracing, adjustable bullet feet, NSF, CSASanitation.

To Include:

- PB-PRW-1LF-X Prerinse Unit, splash mount, flex stainless steel hose, 8" centers, 1/4 turn cramic cartridges, color coded hot/cold indicators, integral check valve, 1/2" NPT, includes 12" wall bracket, NSF, cCSAus, ADA Compliant (LEAD FREE FAUCET)
- 2. PB-WR-X ADA Wrist Blades, stainless steel, (1 pair)
- PB-SMMK-90 Splash Mount Faucet Mounting Kit, includes (2) 1/2" supply nipples,
 retainer nuts, (2) lock washers, (2) rubber washers and (2) male & female short 90° elbows
- 4. PB-AD-12LF-X Add-On-Faucet, 12" swing spout, fits on PB-PRW-1LF or PB-PRD-2LF pre-rinse units (LEAD FREE FAUCET)
- 5. PB-LWR-1-X Twist Handle Lever Waste, for 3-1/2" industry standard sink opening, standard valve, basket strainer (includes an adapter for either 2" or 1-1/2" drain outlet) (Quantity 3)

POS & Beverage Counter - Quantity 1- ROYSTON LLC 11' W x 30" D

Black Toe Kick, Standard Powder Coat w/Standard Wilson Art Laminate on Cabinets, No Doors on Operator Side, Tops to be Stainless Steel, Consumer Side to have merchandising shelves.

POS Counter - Quantity 1 - ROYSTON LLC 36" W x 30" D

Black Toe Kick, Standard Powder Coat w/Standard Wilson Art Laminate on Cabinets No Doors on Operator Side, Tops to be Stainless Steel

Hot Food Counter - Quantity 1 - ROYSTON LLC 84" W x 30" D

Black Toe Kick, Standard Powder Coat w/Standard Wilson Art Laminate on Cabinets No Doors on Operator Side, Tops to be Stainless Steel, Includes Back Filler

Wire Shelving - Quantity 4 - Quantum Food Service Model No. 1436P

Wire Shelf, 36"W x 14"D, 600 - 800 lb. capacity, green epoxy antimicrobial finish, NSF

To Include:

- 1. DWB14P Cantilever Arm, single, wall mount
- 2. (2) 14" cantilever arms
- 3. (2) wall mount brackets,

Wire Shelving - Quantity 5 - Quantum Food Service Model No. 1836P

Wire Shelf, 36"W x 18"D, 600 - 800 lb. capacity, green epoxy antimicrobial finish.

To Include:

1. Four (4) P86PX Post with Leveling Legs, 86"H, numbered grooves in 1" increments, includes (1) W-PLI & (1) W-PLB (pre-inserted), green epoxy antimicrobial finish,

Wire Shelving - Quantity 15 - Quantum Food Service Model No. 1848P

Wire Shelf, 48"W x 18"D, 600 - 800 lb. capacity, green epoxy antimicrobial finish.

To Include:

1. Twelve (12) P74PX Post with Leveling Legs, 74"H, numbered grooves in 1" increments, includes (1) W-PLI & (1) W-PLB (pre-inserted), green epoxy antimicrobial finish,

Wire Shelving - Quantity 5 - Quantum Food Service Model No. 1830P

Wire Shelf, 30"W x 18"D, 600 - 800 lb. capacity, green epoxy antimicrobial finish

To Include:

1. Four (4) P86PX Post with Leveling Legs, 86"H, numbered grooves in 1" increments, includes (1) W-PLI & (1) W-PLB (pre-inserted), green epoxy antimicrobial finish,

Display Shelving Four Sided - Quantity 2 – Madix Part Number FWD

Four-way displayer, 47" x 47: wood base, 54" H, including pegboard back, and 16 each 13" x 30" upper shelves.

Vendor shall be responsible for the delivery of all products and shall be responsible for installation of the Royston Cabinets and Countertops.

Location has the ability to offload with forklifts.

Delivery will be made to Warriors Path State Park Kingsport TN 490 Hemlock Road Kingsport, TN 37663.